

RSolv Solvent Waste System

RSolv[™] UN/DOT Solvent Waste System is designed to be an affordable solution for liquid waste disposal. Each system is manufactured to safely collect waste from one or more HPLC systems while the carbon exhaust filter improves air quality by capturing potentially harmful vapors emitted from solvents.

The RSolv[™] UN/DOT containers come with a closed 51mm or 70mm VersaCap[®] that are UN/DOT Certified, and are designed to be single-use for easy and safe disposal or laboratory waste

Each system includes a 13.5L, 20L, or 60L HDPE RSolv[™] UN/DOT container, two VersaCap[®] (one open cap for use with the RSolv[™] adapter and one closed cap for safe transport), various ports for waste tubing, 1 port for a carbon exhaust filter, 1 carbon exhaust filter, and plugs for usual ports



SPECIFICATIONS

- Carbon Exhaust Filter traps¹ solvent vapors
- Tube fittings secure waste tubes to containers in order to create a closed-loop system, preventing spills and vapors from leaking
- 90° adapter included for maximum storage flexibility
- VersaCap[®] technology eliminates tube tangling when interchanging open and closed cap
- RSolv UN/DOT container with 70mm closed cap UN/DOT² certified for Packaging Group II, and hazardous chemicals
- 6. EPDM gasket for high chemical compatibility against aggressive organic solvents
- 7. High-Density Polyethylene (HDPE) RSolv UN/DOT contains features advanced ergonomic design and superior chemical compatibility
- Includes plugs for unused ports

¹Depending on application, carbon exhaust filter may vary

² UN Rating 3H1/Y1.8/150/XX, USA/+AA4824



Plot No 39, 1st Floor, Lavanya Arcade,
Jayabheri Enclave, Gachibowli,
Hyderabad-500032.Telangana.